



Certificate of conformity of the factory production control

1608 CPR P229

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the constructions product:

Aluminium and Aluminium Alloys products structural purposes

whose characteristics are detailed in the attached annex,

produced by or for

SEPAL Spa

Via Caduti del Lavoro,1 25030 Lograto BS - IT

and produced in the manufacturing plant(s)

Lograto BS - IT

This certificate attests that all provisions concerning the assessment and verification of performance described in Annex ZA of the standard

EN 15088:2005

under system 2+ are applied and that

the factory production control fulfils all the prescribed requirements set out above.

This certificate was first issued on **12/05/2022** and will remain valid as long as the test method and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Current issue: **12/05/2022**

The Director
Roberto Pieroncini



ISTITUTO ITALIANO DI
GARANZIA DELLA QUALITÀ

APPENDIX TO CERTIFICATE **1608 CPR P229**

Aluminium and aluminium alloys products according to EN 15088

Product	Product standards	Material designation	Delivery condition	Dimensional range (mm)
Extruded round bars	UNI EN 755-3	6005A	T6	From Ø 6 to Ø 50
		6060	T5, T6, T64 e T66	
		6063	T5, T6 e T66	
		6082	T6	
Extruded square and rectangular bars	UNI EN 755-4	6005A	T6	From 6 to 50 from 10x3 to 200x15
		6060	T5, T6, T64 e T66	
		6063	T5, T6 e T66	
		6082	T6	
Extruded square and rectangular tubes	UNI EN 755-8	6005A	T6	Square from 8 a 160 Thickness from 1 to 20 Rectangular from 10x10 to 200x50 Thickness da 1 a 20
		6060	T5, T6, T64 e T66	
		6063	T5, T6 e T66	
		6082	T6	
Extruded round tubes	UNI EN 755-8	6005A	T6	From Ø 7 to Ø 160 Thickness from 1 to 20
		6060	T5, T6, T64 e T66	
		6063	T5, T6 e T66	
		6082	T6	



ISTITUTO ITALIANO DI
GARANZIA DELLA QUALITÀ

APPENDIX TO CERTIFICATE **1608 CPR P229**

Aluminium and aluminium alloys products according to EN 15088

Product	Product standards	Material designation	Delivery condition	Dimensional range
SEPAL precision	UNI EN 12020-2	6005A	T6	Circumscribed circle up to Ø 250
		6060	T5, T6, T64 e T66	
		6063	T5, T6 e T66	
		6082	T6	
SEPAL for general applications	UNI EN 755-9	6005A	T6	Circumscribed circle up to Ø 250
		6060	T5, T6, T64 e T66	
		6063	T5, T6 e T66	
		6082	T6	

first issue: **12/05/2022**
current issue: **12/05/2022**

Director
Roberto Pieroncini